



40 W Louise Ave, Salt Lake City, UT 84115
2874 S 300 West, Salt Lake City, UT 84115
Phone: (801) 485-1800 Fax: (801) 484-9211
Email:UT1Lab@advancedlabsinc.com
FDA Registration #14353128308

If you liked our service, please tell a friend. If you didn't, please tell us!

Test Certificate

Description 369-s10
Sample ID Colloidal Silver 20
Lot No
Location
Received 07/07/2024
Completed :07/18/2024

Client: Ed Make
Silvertize
HidroSylverPeru
1910 S State Road 7
Miramar, FL 33023

Lab No 394781-03

Table with 5 columns: Analysis, Result, Per Unit, Specifications, Method. Row 1: Silver, 20.1, ppm, 12 - 20 ppm, ICP-MS USP <730>

Latest test for 60ppm, 120ppm, 1000ppm will be issued on 08/16/2024.

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:

Signature of Bryan Harper
Bryan Harper-Quality Technician

Dated:

07/18/2024

Printed: 07/18/2024 11:15:36 AM

